EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1354	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L7	5171	219/390-411.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L8	2255	118/724.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L9	968	118/50.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L10	8494	L6 or L7 or L8 or L9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L11	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L12	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L13	1	L10 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L14	160	L10 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L15	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L16	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L17	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L18	24	L10 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L19	1	L10 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43

L20	54	219/418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L21	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L22	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L23	1354	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L24	5171	219/390-411.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L25	2255	118/724.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L26	968	118/50.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L27	8494	L23 or L24 or L25 or L26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L28	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L 2 9	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L30	1	L27 and L29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L31	160	L27 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L32	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L33	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L34	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO: DERWENT	OR	ON	2008/04/11 09:43

L35	24	L27 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L36	1	L27 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L37	54	219/418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L38	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L39	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L40	0	["6,882"".""879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L41	2	"6882879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L42	5	392/416-418.ccls. and spacer and (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L43	1	392/416-418.ccls. and spacer with between with (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L44	1354	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L45	5171	219/390-411.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L46	2255	118/724.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L47	968	118/50.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L48	8494	L44 or L45 or L46 or L47	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L49	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43

L50	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L51	1	L48 and L50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L52	160	L48 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L53	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L54	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L55	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L56	24	L48 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L57	1	L48 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L58	54	219/418.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L59	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L60	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L61	1354	392/416-418.∝ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L62	5171	219/390-411.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L63	2255	118/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L64	968	118/50.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43

L65	8494	L61 or L62 or L63 or L64	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L66	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L67	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L68	1	L65 and L67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L69	160	L65 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L70	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L71	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L72	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L73	24	L65 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L74	1	L65 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L75	54	219/418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L76	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L 7 7	3	392/416-418.cds. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L78	0	"6,882"".""879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L79	2	"6882879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43

L80	5	392/416-418.cds. and spacer and (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L81	1	392/416-418.ccls. and spacer with between with (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L82	7	"5313048".pn. or "5900177".pn. or "6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L83	1	L80 and (insulation or insulating) with spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L84	7	"4416907".pn. or "6825958".pn. or "4851631".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L85	2	"4455478".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:43
L86	7	"4416907".pn. or "6852958".pn. or "4851631".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 09:44
S1	1252	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 08:36
S2	4823	219/390-411.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:22
S3	2068	118/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:22
S5	924	118/50.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:23
S 6	7922	S1 or S2 or S3 or S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:24
S7	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:24
S8	2	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:24
S9	1	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:24

S10	148	S6 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:25
S11	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:26
S12	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:32
S13	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 10:14
S14	24	S6 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:33
S15	1	S6 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 09:33
S16	54	219/418.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 10:15
S17	34	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/15 10:42
S18	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/15 10:42
S19	1319	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S20	5034	219/390-411.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S21	2185	118/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S22	953	118/50.1.∞ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S23	8269	S19 or S20 or S21 or S22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S24	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO: DERWENT	OR	ON	2007/07/17 08:08

S25	3	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S26	1	S23 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S27	157	S23 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S28	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S29	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S30	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S31	24	\$23 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S32	1	\$23 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
833	54	219/418.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
\$34	34	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S35	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 08:08
S 36	0	"6,882"".""879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 10:23
S37	2	"6882879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/17 10:23
S38	4	392/416-418.ccls. and spacer and (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 08:37
S39	1	392/416-418.ccls. and spacer with between with (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 08:40

S40	1354	392/416-418.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S41	5171	219/390-411.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S42	2255	118/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S43	968	118/50.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S44	8494	S40 or S41 or S42 or S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S 45	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S46	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S47	1	S44 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S48	160	S44 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S 49	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S50	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S51	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S52	24	S44 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S53	1	S44 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S54	54	219/418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21

S55	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10
S56	3	392/416-418.ccls. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S57	1354	392/416-418.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S58	5171	219/390-411.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S59	2255	118/724.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S60	968	118/50.1.∝ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S61	8494	S57 or S58 or S59 or S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S62	0	triquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S63	6	taiquing.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S64	1	S61 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S 65	160	S61 and coil and recess and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S 66	2	"5001327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S67	3	"6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S68	2	"5900177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S69	24	S61 and silica with (insulation or insulate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21

S70	1	S61 and silica with (insulation or insulate) with aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S71	54	219/418.∝ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S72	35	392/416-418.ccls. and (insulation or insulator) with (spacer or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S73	3	392/416-418.cds. and (insulator) with (spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S74	0	"6,882"".""879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S75	2	"6882879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S76	5	392/416-418.ccls. and spacer and (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S77	1	392/416-418.ccls. and spacer with between with (first or second) with block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:21
S78	7	"5313048".pn. or "5900177".pn. or "6414277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:48
S79	1	S76 and (insulation or insulating) with spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 10:50
S80	7	"4416907".pn. or "6825958".pn. or "4851631".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 13:33
S81	2	"4455478".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 13:35

4/11/2008 9:59:33 AM C:\ Documents and Settings\ drobinson3\ My Documents\ EAST\ Workspaces\ 10521283 392 418.wsp